

# PIANA SLIDE

## LUXURY ON TWO WHEELS

Glide into boundless relaxation with PIANA SLIDE:

The elegant sliding doors run on a glass frame that impresses with strong laminated safety glass. Sliding and fixed parts are made of tempered safety glass and are available as 2- or 4-part variations. The movable elements can be easily swivelled inwards with gentle finger pressure. This makes the easiest cleaning possible - without hard-to-reach places- according to the PALM.isi-clean principle.


- Standard at the highest level
- 25 year warranty
- spare part post-purchase warranty up to 30 years
- easy mounting
- on request measurements and installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.



### Glass:

Sliding-, Fixed- and side panels: 8 mm tempered safety glass transparent  
Guide rail of the sliding elements: 12 mm laminated safety glass

### Doors:



Sliding doors

With 2-part sliding doors on part is always fixed and one part is movable.

### Comfort-features:



PALM.motion  
Swing-out mechanism



PALM.fix  
Magnetic catch



PALM.isi-clean  
Easy-care surface



PALM.free  
Barrier-free



PALM.pro (optional)  
Flush wall mounting



PALM.care (optional)  
Antibacterial profile



PALM.nano (optional)  
Nano-coating

### Possible wall mountings:

- Pro The patented PALM.pro system profile enables quick and uncomplicated wall mounting on or flush with the wall.
- Vario Continuous wall mounting profile with 15 mm adjustment range.

### 2 floor solutions are available for choice:

barrier-free | discreet 4 mm floor strip

### Accessories (optional):

Towel holder, glass shelf, wall panel system

### Standard height:

2.120 mm plus 55 mm rollers, special heights possible

### Possible widths:

Sliding door-widths for 2-parted doors up to 2.000 mm and 2.200 mm for 4-parted versions

### Customised production:

Piana Slide can be made to the millimetre in width on request according to your individual requirements

### Awards:



Home and Trend Award  
„Innovation of the year“

## INSTALLATION SITUATION:




2-part sliding door

4-part sliding door


2-part sliding door with side panel

Eckeinstieg 4-teilig

## WALL PROFILE (from fixed wall elements):




VARIO 15 mm adjustment range




PRO no adjustment range

*Designer's tip:* For a perfect frameless design, the PRO profile can be mounted flush in the wall. To do so, simply mount the profile before the tiling work.

## FLOOR SOLUTIONS:



Barrier-free without splash rail



discreet splash rail (8 mm high)

*optional splash rail:* For splash protection in an unobtrusive design.

## SPECIAL FEATURE:



PALM.motion - Swing-out mechanism

*Simple cleaning:* Open the closure by finger pressure and then swing the sliding element inwards. Now, even the hard-to-reach places are easy to reach.

**DESIGN GLASSES** (8 mm tempered safety glass):



**PROFILE- AND HANDLE COLOURS:**



## HANDLES:



GRF201



GRF202



GRF203



GRF204



GRF205



GRF101



GRF102



GRF103



GRF105



GRF110



GRF106



GRF107



RAL9011 Graphite-black



RAL5019 Cabriblue



RAL6018 Yellow-green



RAL2011 Deep orange



RAL4010 Telemagenta

GRF104 mit farbigem Einlegeblatt

## ACCESSORIES:



Towel holder in glass  
for fixed parts and side panels



Glass-shelf

Tel. (AUT): +43 7719 / 8585-0  
Tel. (DE): +49 8503 / 36299-30  
E-Mail: [palme@palme.com](mailto:palme@palme.com)  
[www.palme.com](http://www.palme.com)

 **PALME** First Glass  
Shower Comfort.



## RE-COVER WALL PANEL:

Our Re-Cover wall covering makes completely new and simple ways of your wet areas' interior construction possible! In combination with discreet aluminium-end profiles it is possible to create a completely new atmosphere within no time.

### Product-information

Aluminium-composite-wall covering with various decors and dimensions, combined with a decent aluminium end profile.

- Super easy to work with
- Abrasion-resistant, scratch-resistant, chemical-resistant, colour stable and foodsafe
- Ideal for renovations: direct application on cleaned old tiles possible
- Fit accuracy at the joints
- Best cleaning comfort
- Optional also available with antibacterial PALM.care surface
- Standard at the highest level
- Easy mounting
- functional, economical and innovative solution
- Fast delivery service: Selected products can be delivered within 72 hours
- on request installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.


### Material, dimensions

- 6 mm Aluminium-composite-wall panels
- Format: 240 x 2.600 mm, 490 x 2.600 mm, 1.000 x 2.600 mm, 1.250 x 2.600 mm, 1.500 x 2.600 mm,

Custom formats and customised productions are possible!




### Colours and decors



Custom colours and photo scenes are possible!

### Profiles



Tel. (AUT): +43 7719 / 8585-0  
 Tel. (DE): +49 8503 / 36299-30  
 E-Mail: [palme@palme.com](mailto:palme@palme.com)  
[www.palme.com](http://www.palme.com)

 **PALME** First Glass Shower Comfort.

