

# PIANA X-FREE

## THE COMBINATION WONDER OF SLIDING- AND FOLDING DOORS.

Choose and combine not only different types of doors and entry variations, but also the colours of the frame, handle and crossbar - according to your preferences. PALME's adaptation wonder is perfect for complex room situations.


- Standard at the highest level
- 25 year warranty
- spare part post-purchase warranty up to 30 years
- easy mounting
- on request measurements and installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.




### Glass:

6 mm tempered safety glass transparent

### Doors:



Sliding door



Folding door

With sliding doors one or two sliding elements always run into a fixed element.

With folding doors the wall element opens 90° inwards and outwards. The door element can be folded 180° outwards.

### Comfort-features:



PALM.motion  
Swing-out mechanism



PALM.fix  
Magnetic catch



PALM.isi-clean  
Easy-care surface



PALM.soft  
Soft-Open/Soft-Close mechanism



PALM.lift  
Lifting/lowering mechanism



PALM.free (optional)  
Barrier-free



PALM.care (optional)  
Antibacterial profile



PALM.nano (optional)  
Nano-coating

### Possible wall mountings:

Vario - Continuous wall mounting profile with 15 mm adjustment range.

### Barrier-free:

Barrier-free | discreet 8 mm floor strip

### Accessories (optional):

Towel holder, glass shelf, wall panel system

### Standard height:

2.000 mm, special height possible

### Possible widths:

up to 2.000 mm

### Customised production:

Piana X-Free can be made to the millimetre in width on request according to your individual requirements

## INSTALLATION SITUATION:



2-part sliding door

3-part sliding door

4-part sliding door

2-part folding door

4-part folding door



2-part sliding door with side panel

3-part sliding door with side panel

2-part folding door with side panel

4-part corner entry with sliding doors

5-part corner entry with sliding doors

6-part corner entry with sliding doors



4-part sliding-folding-corner entry

5-part sliding-folding corner entry

4-part folding-corner entry

2-part sliding door as U-cubicle

3-part sliding door as U-cubicle

## WALL PROFILE / WALL HINGE



Sliding doors



Folding doors

## SPECIAL FEATURE:



PALM.motion - Swing-out mechanism

*Simpler cleaning:*  
Open the closure by finger pressure and then swing the sliding element inwards. Now even the hardest-to-reach places are easy to reach.

**DESIGN GLASSES** (6 mm tempered safety glass):



H1 TSG Transparent



H3 TSG Grey tinted



H4 TSG Mocha tinted



HS TSG Frosted glass effect



HT TSG Partial frosting



H0 or H6 TSG Partial matt finish gradient



H8 TSG Chinchilla



H9 TSG Matercarre



SP TSG Mirror glass



FD TSG Photo print white glass

**HANDLES** (Sliding doors):



GRF107



GRF206

**HANDLES** (Folding doors):



GRF205

**PROFILE- AND HANDLE COLOURS:**



29 Zenit-Chrome



20 Alusilver



51 Shiny snow-white



85 Graphite-black



87 Anthracite midnight



49 Cream white matt



34 Copper Antique



46 Concrete grey



RAL Colours

## RE-COVER WALL COVERING:

Our Re-Cover wall covering makes completely new and simple ways of your wet areas' interior construction possible! In combination with discreet aluminium-end profiles it is possible to create a completely new atmosphere within no time.

### Product-information

Aluminium-composite-wall covering with various decors and dimensions, combined with a decent aluminium end profile.

- Super easy to work with
- Abrasion-resistant, scratch-resistant, chemical-resistant, colour stable and food-safe
- Ideal for renovations: direct application on cleaned old tiles possible
- Fit accuracy at the joints
- Best cleaning comfort
- Optional also available with antibacterial PALM.care surface
- Standard at the highest level
- Easy mounting
- functional, economical and innovative solution
- Fast delivery service: Selected products can be delivered within 72 hours
- On request installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.


### Material, dimensions

- 6 mm Aluminium-composite-wall panels
- Format: 240 x 2600 mm, 490 x 2.600 mm, 1.000 x 2.600 mm, 1.250 x 2.600 mm, 1.500 x 2.600 mm

Custom formats and customised productions are possible!




### Colours and decors



Custom colours and photo scenes are possible!

### Profile



Tel. (AUT): +43 7719 / 8585-0  
 Tel. (DE): +49 8503 / 36299-30  
 E-Mail: palme@palme.com  
[www.palme.com](http://www.palme.com)

 **PALME** First Glass Shower Comfort.

