WALK-IN APREJO CURVE SEDUCES WITH GENTLE CURVES.

Completes the Premium series Walk-IN APREJO with its gently curved design. Walk-In APREJO CURVE impresses with its high-quality 8 mm tempered safety glass and Vario wall connection.

- Standard at the highest level
- 25 year warranty
- spare part post-purchase warranty up to 30 years
- easy mounting
- on request measurements and installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.

Glass:

8 mm tempered safety glass transparent

Doors:



Walk-In partition

Comfort-features:



PALM.isi-clean Easy-care surface

PALM.free Barrier-free

PALM.care (optional) Antibacterial profile PALM.nano (optional)

Nano-glass coating

PALM.magic (optional) Ambient-lights

Possible wall mountings: Vario Continuous wall mounting profile with 15 mm adjustment range. 2 floor solutions are Barrier-free | discreet 4 mm floor strip available for choice: Accessories (optional): Ambient-light, Back-panel system Standard height: 2.000 mm + 30 mm support brace **Possible widhts:** 1-part up to 1.200 mm, more parts up to 2.000 mm **Customised production:** Walk-In Aprejo Curve can be made to the millimetre in width on request according to your individual requirements Awards: Iconic Award










INSTALLATION SITUATION:



WALL PROFILE:



SPECIAL FEATURE:







DESIGN GLASSES (8 mm tempered safety glass):



PROFILE- AND HANDLE COLOURS:





ACCESSORIES:



PALM.magic Ambient-Light in wall profile



Tel. (AUT): +43 7719 / 8585-0 Tel. (DE): +49 8503 / 36299-30 E-Mail: palme@palme.com www.palme.com





RE-COVER WALL COVERING:

Our Re-Cover wall covering makes completely new and simple ways of your wet areas' interior construction possible! In combination with discreet aluminium-end profiles it is possible to create a completely new atmosphere within no time.

Product-information

Aluminium-composite-wall covering with various decors and dimensions, combined with a decent aluminium end profile.

- Super easy to work with
- Abrasion-resistant, scratch-resistant, chemical-resistant, colour stable and food-safe
- Ideal for renovations: direct application on cleaned old tiles possible
- Fit accuracy at the joints
- Best cleaning comfort
- Optional also available with antibacterial PALM.care surface
- Standard at the highest level
- Easy mounting
- functional, economical and innovative solution
- Fast delivery service: Selected products can be delivered within 72 hours
- On request installations can be carried out by the PALME customer service
- Tested according to DIN EN 14428 CE.

Material, dimensions

- 6 mm Aluminium-composite-wall panels
- Format: 240 x 2600 mm, 490 x 2.600 mm, 1.000 x 2.600 mm, 1.250 x 2.600 mm 1.500 x 2.600 mm

Custom formats and customised productions are possible!


Colours and decors





Custom colours and photo scenes are possible!

Profiles



Tel. (AUT): +43 7719 / 8585-0 Tel. (DE): +49 8503 / 36299-30 E-Mail: palme@palme.com www.palme.com



